

CEILING SPEAKERS: colour white (finish ready for painting)

Euro



TCS-C35T *Passive 2-way 3.5" LF, HF Tweeter, Screw Terminal Phoenix
30W pgm, Max SPL 106dB Peak, 100Hz-20kHz, 180°Hx180°V
235mm diameter x 112mm deep
16ohms, 7.5W, 15W, 30W taps on rotary switch* € 104,40



TCS-C50T *Passive 2-way 5" LF, HF Tweeter, Screw Terminal Phoenix
150W pgm, Max SPL 116dB Peak, 75Hz-22kHz, 180°Hx180°V
268mm Diameter x 219mm Deep inc. backbox, 3.4kg
16ohm, 15W, 30W, 60W taps on switch* € 141,60

IMPACT series: colour white or black. Priced individual shipped in pairs



Impact 35 *Passive 2-way 3.5" LF, HF Tweeter
80W pgm, Max SPL 110dB Peak, 70Hz-20kHz ±10dB, 100°Hx100°V
242mmH x 145mmW x 148mmD, 2.2kg
Includes WB-5 Wall Bracket* € 102,00



Impact 35T *Passive 2-way 3.5" LF, HF Tweeter, 70/100V line transformer
80W pgm, Max SPL 110dB Peak, 70Hz-20kHz ±10dB, 100°Hx100°V
242mmH x 145mmW x 148mmD, 2.2kg
Includes WB-5 Wall Bracket* € 126,00



Impact 55T *Passive 2-way 5" LF, HF Tweeter, 70/100V line transformer
160W pgm, Max SPL 115dB Peak, 64Hz-20kHz ±10dB, 100°Hx70°V
300mmH x 164mmW x 158mmD, 3.5kg
Includes WB-5 Wall Bracket* € 144,00



Impact 65T *Passive 2-way 2 x 5" LF, HF Tweeter, 70/100V line transformer
240W pgm, Max SPL 117dB Peak, 43Hz-20kHz ±10dB, 100°Hx70°V
450mmH x 164mmW x 158mmD, 5kg
Includes WB-5 Wall Bracket* € 240,00

IMPACT Wall & Ceiling Brackets: Impact ships with WB-5 captive bracket free of charge

WB-5 *Wall Bracket (with integral electrical connections) available black or white* € 48,00
WB-10 *Wall Bracket* € 50,40
CB-10 *Ceiling Bracket* € 97,20







Subs: colour black



TSB-110 *Bandpass Subwoofer, 10" LF dual voice coil, push terminals
600W pgm, Max SPL 126dB Peak, 45Hz-180Hz
330mmH x 585mmW x 330mmD, 16.5kg* € 504,00



TSB-212 *Bandpass Subwoofer, 2x 12", NL4
1600W Pgm, Max SPL 138dB Peak, 38Hz-200Hz
420mmHx1000mmWx470mmD, 47kg* € 1.380,00

	TCX-8	Two-way passive wide dispersion, 1 x 8" LF, 1 x 1" HF on CEW Max SPL 123dB peak, 70Hz - 20kHz ±10dB, 90°h x 60°v, 400w prgm 2 x NL4 and barrier strip, 408mmH x 312mmW x 280mmD, 9.5kg	€ 444,00
	TCX-8W	Weather resistant to IP54	€ 840,00
	TCX-10	Two-way passive wide dispersion, 1 x 10" LF, 1 x 1" HF on CEW Max SPL 125dB peak, 68Hz - 20kHz ±10dB, 90°h x 60°v, 500w prgm 2 x NL4 and barrier strip, 488mmH x 370mmW x 332mmD, 13.5kg	€ 600,00
	TCX-10W	Weather resistant to IP54	€ 1.020,00
	TCX-12	Two-way passive wide dispersion, 1 x 12" LF, 1 x 1" HF on CEW Max SPL 128dB peak, 68Hz - 20kHz ±10dB, 90°h x 60°v, 600w prgm 2 x NL4 and barrier strip, 552mmH x 410mmW x 368mmD, 19.5kg	€ 684,00
	TCX-12W	Weather resistant to IP54	€ 1.170,00
	TCX-15	Two-way passive wide dispersion, 1 x 15" LF, 1 x 1" HF on CEW Max SPL 131dB peak, 55Hz - 20kHz ±10dB, 90°h x 60°v, 800w prgm 2 x NL4 and barrier strip, 652mmH x 470mmW x 422mmD, 24.5kg	€ 804,00
	TCX-15W	Weather resistant to IP54	€ 1.380,00
	TCX-15B	Bandpass 1 x 15" bass enclosure Max SPL 131dB peak, 35Hz - 125Hz ±10dB, 2000w prgm 2 x NL4 and barrier strip, 600mmH x 500mmW x 600mmD, 35.5kg	€ 900,00
	TCX-15BW	Weather resistant to IP54	€ 1.320,00
	TCX-18B	Bandpass 1 x 18" bass enclosure Max SPL 130dB peak, 35Hz - 125Hz ±10dB, 2000w prgm 2 x NL4 and barrier strip, 838mmH x 469mmW x 440mmD, 35.5kg	€ 1.140,00
	TCX-18BW	Weather resistant to IP54	€ 2.160,00

COMPACT series: rigging hardware

TCX-SB8	Swivel bracket for TCX-8	€ 136,80
TCX-SB10	Swivel bracket for TCX-10	€ 144,00
TCX-SB12	Swivel bracket for TCX-12	€ 153,60
TCX-SB15	Swivel bracket for TCX-15	€ 174,00
WB-20	Wall Bracket for TCX-8, TCX-10, TCX-12	€ 79,20
WB-55	Wall Bracket for TCX-15	€ 93,60
CB-55	Ceiling Bracket for TCX-8, TCX-10, TCX-12, TCX-15	€ 99,60

	TCS-61	Passive 2-way 6.5" LF, 1" HF, NL4/terminal strip 350W ppgm, max SPL 116dB peak, 50Hz-20kHz ±10dB, 100°h x 60°v 238mmH x 414mmW x 190mmD, 6kg, black or white	€ 738,00
	TCS-61W	Weather resistant to IP54, black or white	
<hr/>			
	TCS-122/xx	Switchable active/passive 2-way, 1 x 12" LF, 1 x 1.4" HF, NL4/terminal strip 1000W program, max SPL 128dB peak, 59Hz-20kHz ±10dB 90°H x 60°V, 60°H x 40°V or 90°H x 40°V, 803mmH x 403mmW x 416mmD, 30kg	€ 1.500,00
	TCS-122/xxW	Weather resistant to IP54.	
	TCS-122/xxDP	Fitted with 450W Class D amplifier, 32.5kg "xx" specify waveguide - TCS-122/64 for 60 x 40	€ 2.700,00
<hr/>			
	TCS-152/xx	Switchable active/passive 2-way, 1 x 12" LF, 1 x 1.4" HF, NL4/terminal strip 1000W program, max SPL 128dB peak, 59Hz-20kHz ±10dB 90°H x 60°V, 60°H x 40°V or 90°H x 40°V, 803mmH x 403mmW x 416mmD, 36kg	€ 1.740,00
	TCS-152/xxW	Weather resistant to IP54.	
	TCS-152/xxDP	Fitted with 450W Class D amplifier, 38kg "xx" specify waveguide - TCS-522/64 for 60 x 40	€ 3.360,00
<hr/>			
	TCS-1561/74	Switchable bi-amp/triamp 3-way, 1 x 15" LF, 1 x 6.5" MF, 1 x 1" HF driver 1000W program, max SPL 134dB peak, 40Hz-20kHz ±10dB 70°H x 40°V, 979mmH x 535mmW x 467mmD, 52kg	€ 2.400,00
	TCS-1561/74W	Weather resistant to IP54	
	TCS-1561/74DP	Digitally self-powered 3-way, 1 x 15" LF, 1 x 6.5" MF, 1 x 1" HF 979mmH x 535mmW x 467mmD,	€ 4.200,00
<hr/>			
	TCS-1061/75	Three-way bi-amped/tri-amped, 2 x 10" LF, 1 x 6.5" MF, 1 x 50mm HF	€ 3.600,00
	TCS-1061/100	LMF: 1200W program, HMF: 240W program, HF: 120W program Max SPL 136dB peak, 80Hz-20kHz ±10dB, 75°H x 16°V, 100°H x 16°V 2 x Speakon NL8, 710mmH x 304mmW x 400mmD	€ 3.600,00
	TCS-1061/xx W	Weather resistant to IP54, black or white	
<hr/>			
	TCS-B15A	Subwoofer to array with TCS-122, 1 x 15" LF, NL4/terminal strip 1000W program, max SPL 133dB peak, 30Hz-200Hz ±10dB 803mmH x 428mmW x 500mmD, 38kg	€ 1.320,00
	TCS-B15AW	Weather resistant to IP54	
	TCS-B15ADP	Digitally self-powered sub to array with TCS-122, 15" LF, 40kg,	€ 2.940,00
<hr/>			
	TCS-B15B	Subwoofer to array with TCS-152, 1 x 15" LF, NL4/terminal strip 1000W program, max SPL 133dB peak, 30Hz-200Hz ±10dB 838mmH x 469mmW x 440mmD, 37kg	€ 1.320,00
	TCS-B15BW	Weather resistant to IP54	
	TCS-B15BDP	Digitally self-powered sub to array with TCS-152, 15" LF, 39kg	€ 2.940,00
<hr/>			
	TCS-B218	Subwoofer, 2 x 18" LF, NL4/terminal strip 2400W program, max SPL 142dB peak, 20Hz-214Hz ±10dB 710mmH x 1130mmW x 730mmD, 104kg	€ 2.640,00
	TCS-B218W	Weather resistant to IP54	
	TCS-B218DP	Digitally self-powered sub, 106kg	€ 4.620,00

SB-61	Swivel bracket for TCS-61	€ 92,40
ICC-61	Inter-cabinet couplers for TCS-61 and TCS-122	€ 148,80
ICC-2V	Kit of two inter-cabinet couplers to fly TCS-122 or TCS-152 vertically	€ 72,00
FP-1	Kit of two flyplates to fly TCS-122 or TCS-152	€ 141,60
FP-2	Kit of two flyplates to fly TCS-B15A or TCS-B15B	€ 147,60
ICC-2H	Kit of two inter-cabinet couplers to fly TCS-122 horizontally	€ 72,00
ICC-3H	Kit of two inter-cabinet couplers to fly TCS-152 horizontally	€ 72,00
ICC-4H	Kit of two inter-cabinet couplers to fly TCS-B15A or TCS-B15B	€ 72,00
ICC-5H	Kit of two inter-cabinet couplers to fly TCS-152 with TCS-B15B	€ 72,00
ICC-6H	Kit of two inter-cabinet couplers to fly TCS-122 with TCS-B15A	€ 72,00
FK-1061	Flying kit for column of up to 5 x TCS-1061 cabinets Consists of 2 x single flybars plus 2 x pull-back links	€ 909,60
FB-1061	Flying grid for column of up to 16 x TCS-1061 cabinets	€ 1.854,00
WB-20	Wall Bracket for TCS-61	€ 79,20
WB-55	Wall Bracket for TCS-122, TCS-152	€ 93,60
CB-55	Ceiling Bracket for TCS-61, TCS-122, TCS-152	€ 99,60

ASPECT WIDE series: colour black


TA-500	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V NL8, Optional Flyware, 977mmH x 574mmW x 498mmD, 52kg	€ 4.200,00
TA-500DP	Self-powered bi-amped TA-500 Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V Optional Flyware, Optional Wheelboard 977mmH x 574mmW x 498mmD, 54kg	€ 5.820,00



TA-500H	Three-way, tri-amp or bi-amp , LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V, NL8, optional flyware 551mmH x 983mmW x 498mmD, 52kg	€ 4.200,00
TA-500HDP	Self-Powered TA-500H Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V 551mmH x 983mmW x 498mmD, 54kg, optional flyware	€ 5.820,00



TA-500HM	Two-way downfill, bi-amp or passive, MF 1 x 10", HF 1 x 50mm 400W pgm MF, 100W pgm HF Max SPL 138dB Peak, 250Hz-18kHz, 50°Hx25°V, NL8, optional flyware 551mmH x 574mmW x 498mmD, 37kg	€ 3.120,00
----------	---	------------

ASPECT WIDE series: installation rigging hardware

FK-500/1H	Hinge kit for one wide TA-500 array	€ 1.800,00
FK-500/2T	Top row kit for 2-wide TA-500 arrays	€ 564,00
FK-500/2H	Hinge kit for 2-wide TA-500 arrays	€ 1.888,80
FK-500/3T	Top row kit for 3-wide TA-500 arrays	€ 552,00
FK-500/3H	Hinge kit for 3-wide TA-500 arrays	€ 1.888,80
EB-10/40	M10x40mm Eyebolt	€ 28,80

ASPECT series: colour black

TA-880H	Tri-amped, LMF 2x10", HMF 1x10", HF 2x50mm 1000W pgm LMF, 400W pgm HMF, 200W pgm HMF Max SPL 146dB Peak, 95Hz-20kHz, 25°Hx15°V NL8, Optional Flyware, Optional Wheelboard 1025mmH x 477mmW x 463mmD, 59kg	€ 5.940,00
---------	---	------------



TA-880HM	Bi-amped, 1x10" 400W pgm HMF, 2x50mm 200W pgm HF Max SPL 146dB Peak, 405Hz-20kHz, 25°Hx15°V NL8, Optional Flyware 477mmH x 477mmW x 463mmD, 28kg	€ 3.900,00
----------	---	------------



TA-880L	2x15" Neo 2200W pgm LF Max SPL 138dB Peak, 45Hz-250Hz NL4, Optional wheel kit 795mmH x 477mmW x 574mmD, 50kg	€ 3.600,00
---------	---	------------

ASPECT series: trapezoidal rigging hardware

FB-880/2W	2-Wide Trap flybar - 3-deep max	€ 2.016,00
FB-880/3W	3-Wide Trap flybar - 3-deep max	€ 2.688,00
CB-8002	2 leg chain bridle for FB-880/3W	€ 300,00
CB-8003	2 leg chain bridle for FB-880/2W	€ 300,00
FC-880	Choked flying chain	€ 252,00
FC-880S	Short flying chain	€ 168,00
SW-880H	Flying Sword for TA-880H	€ 60,00
SW-880HM	Flying Sword for TA-880HM	€ 60,00
SL-880	Linch pin for swords	€ 21,60
SC-880	Spacer Collar for swords	€ 28,80
TS-880/890	Double Action Tilt Strap for TA-880/890 Array	€ 72,00
BSC-01	Biscuit to connect rear of cabinets in array	€ 8,40

ASPECT series: trapezoidal rigging hardware

RACK-DP50	4 x 1250w @ 2Ω or 2 x 2250w @ 4Ω with 96kHz DSP and TurboDrive	€ 3.240,00
DP50 Distro	4 mix distro for 3 x rack DP 50	€ 1.440,00
T-25	2x1250W into 4 ohm switchmode power amplifier	€ 2.616,00
T-475	4x750W into 4 or 8 ohm switchmode power amplifier	€ 3.208,80
T-45	Turbosound 2x2250W into 4 ohm switchmode power amplifier	€ 3.600,00
T-90	Turbosound 2x4500W into 4 ohm switchmode power amplifier	€ 4.590,00
LMS-D24	24 bit 96kHz, 2 input 4 output digital controller with BV-Net	€ 1.380,00
LMS-D26	24 bit 96kHz, 2 input 6 output digital controller with BV-Net	€ 1.740,00
BV-Net-USB	BV-Net USB/RS-232 Converter, port powered in USB mode	€ 304,80
BV-Net-PSU	Power supply for BV-Net-USB, required for RS-232 operation	€ 184,80
BV-Net-Rack	Rack Kit for BV-Net-USB, 3 bays for converters and PSUs	€ 128,40

Bourgonje
070-3177179

Sales@bourgonje.nl
www.turbosound.nl

Oder 15
2491 DD Den Haag