

FLASHLINE SERIES: colour black

Euro



TFS-900H Fully hornloaded, True 4 way hi SPL, Quadamped (by TFS rack only) line array
SHIPS AUG 11 2 x 12", 4 x 6.5", 2 x 6.5", 3 x 1". 1240mm x 360mm x 570mm
PRELIM INFO Dendritic & Polyhorn loaded
 1240mm x 360mm x 570mm

€ 12.000,00



TFS-900L 2 x 18" horn loaded ultra sub for use with Flashline
SHIPS AUG 11 1200mm x 1100mm x 600mm
PRELIM INFO

€ 7.200,00

TFS-RACK 60000w amp rack for Flashline
SHIPS AUGUST 2 Fitted with 3 x 20000DP (Lab Gruppen PLM 20000) and 3 pahse distro
PRELIM INFO Powers up to 9 TFS-900H or 18 TFS-900L

€ 48.000,00

TFS-GRID Flying grid for Flashline

€ 6.000,00

TFS-TIP Motor bar to connect to flying grid

€ 2.400,00

TFS-DOLLY Dolly for 4 x TFS-928

€ 2.400,00

TFS-COVER Cover for above

€ 1.500,00

FLEX ARRAY SERIES: colour black



TFA-600H Three-way bi-amped/tri-amped, 2 x 10" LMF, 1 x 6.5" HMF,
 LMF: 1200W program, HMF: 240W program, HF: 120W program

€ 4.500,00

Max SPL (peak)	Dispersion	Freq.Response ±10dB	Dimensions (HxWxD) mm	Weight
136dB	75°H x 16°V	80Hz-18kHz	710 x 304 x 560	42.5kg

€ 0,00

TFA-600HW	135dB	100°H x 16°V	80Hz-20kHz	710 x 304 x 560	42.5kg
------------------	-------	--------------	------------	-----------------	--------

€ 0,00



TFA-600H Self-powered 3-way bi-amped, 2 x 10" LF, 6.5" MF, 50mm HF

€ 6.480,00

Max SPL (peak)	Dispersion	Freq.Response ±10dB	Dimensions (HxWxD) mm	Weight
136dB	75°H x 16°V	80Hz-20kHz	710 x 304 x 560	44kg

TFA-600HW	135dB	100°H x 16°V	80Hz-20kHz	710 x 304 x 560	44kg
------------------	-------	--------------	------------	-----------------	------

€ 6.480,00



TFA-600L Horn-loaded 1 x 18" bass enclosure
 1600W Pgm, Max SPL 139dB Peak, 38Hz - 150Hz
 710mmH x 574mmW x 560mmD

€ 3.900,00

Integrated Flyware, complete with heavy duty wheels

TFA-600LDP Self-powered horn-loaded 1x18" bass enclosure
 Max SPL 139dB Peak, 38Hz - 150Hz
 710mmH x 574mmW x 560mmD

€ 5.880,00

Integrated Flyware, complete with heavy duty wheels



TFA-600B Horn-loaded 1 x 18" bass enclosure, for ground stacking only
 1600W Pgm, Max SPL 139dB Peak, 38Hz - 150Hz
 710mmH x 574mmW x 560mmD, 65kg

€ 2.940,00

Complete with heavy duty wheels

TFA-600BDP Self-powered horn-loaded 1 x 18" bass enclosure
 Max SPL 139dB Peak, 38Hz - 150Hz
 710mmH x 574mmW x 560mmD

€ 4.920,00

Complete with heavy duty wheels

FB-600	Flybar with screw adjustment	€ 3.480,00
FK-600i	Install flying kit	€ 230,40
GS-600	Ground Stack Plinth for Flex array	€ 720,00
CF-600	Conversion frame	€ 1.500,00
FT-600/3	Transport flightcase 3-up	€ 1.944,00
TS-880/890	Tilt strap double ratchet	€ 74,40
FY-600	Flying yoke	€ 276,00
FYPH	Pole adapter	€ 57,60
SCLAMP	Scaffold clamp	€ 48,00

TSW SERIES: colour black



TSW-218	Subwoofer, 2x18" neodymium, NL4 3200W Pgm, Max SPL 142dB Peak, 28Hz-150Hz 574mmHx1400mmWx770mmD, 110kg Complete with Heavy Duty Wheels	€ 4.380,00
TSW-218DP	Self-powered TSW-218 Max SPL 142dB Peak, 28Hz-150Hz 574mmHx1400mmWx770mmD, 113kg Complete with Heavy Duty Wheels	€ 6.240,00

TSW SERIES: colour black



TA-890H	Tri-amped, 2x10" LMF, 1x10" HMF, 2x50mm HF 1000W pgm LMF, 400W pgm HMF, 200W pgm HF Max SPL 146dB Peak, 95Hz-20kHz, 25°Hx15°V Integral Flyware, NL8, Wheelboard Included 795mmH x 477mmW x 574mmD, 76kg	€ 9.000,00
---------	---	------------



TA-890L	2x15" Neo 2200W pgm LF Max SPL 138dB Peak, 45Hz-250Hz	€ 5.700,00
---------	--	------------



TA-500t	Three-way, tri-amp or bi-amp, LF 15", MF 1x10", HF 1x50mm 800W pgm LF, 400W pgm MF, 100W pgm HF Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V NL8, Integrated Flyware, Wheelboard included 977mmH x 574mmW x 498mmD, 57kg	€ 5.253,00
---------	---	------------

TA-500tDP	Self-powered bi-amped TA-500t Max SPL 141dB Peak, 60Hz-18kHz, 50°Hx25°V Integrated Flyware, Wheelboard included 977mmH x 574mmW x 498mmD, 59kg	€ 6.798,00
-----------	---	------------



TA-500HM	Two-way downfill, bi-amp or passive, MF 1x10", HF 1x50mm 400W pgm MF, 100W pgm HF Max SPL 138dB Peak, 250Hz-18kHz, 50°Hx25°V, NL8, optional flyware 551mmH x 574mmW x 498mmD, 37kg	€ 3.120,00
----------	---	------------

FB-890/1AL	Touring Flybar - 1 Wide A-System Single Pickup Point, left (sold in pairs with right)	€ 936,00
FB-890/1AR	Touring Flybar - 1 Wide A-System Single Pickup Point, right (sold in pairs with left)	€ 936,00
FB-890/2A	Touring Flybar - 2 Wide A-System Bridle Pickup Points	€ 3.036,00
FB-890/3A	Touring Flybar - 3 Wide A-System Single Pickup Point	€ 4.044,00
FB-890/3B	Touring Flybar - 3 Wide B-System Single Pickup Point	€ 29.040,00
FB-890MB	Touring Flybar - Motherbeam to connect 2x FB-8902A/FB-8901A	€ 5.061,60
FB-890MBE	Motherbeam Extender to connect FB-8901A to a half MB-890	€ 2.016,00
FB-890UH	Flybar for TA-500HM downfill	€ 732,00
CB-8001	3 leg chain bridle for MB-890 Motherbeam and FB-890/3A	€ 372,00
CB-8002	2 leg chain bridle for FB-890/2A and FB-890/3B	€ 300,00
CB-8003	2 leg chain bridle for FB-890/2B	€ 300,00
FC-890A	A-System choked flying chain	€ 312,00
FC-890B	B-System choked flying chain	€ 258,00
FC-890BL	B-System inter-cabinet links	€ 128,40
TS-880/890	Double Action Tilt Strap for TA-880/890 Array	€ 72,00

FT-8902A	Flytrunk for 1 x FB-890/2A, 1x FB-890/1A, 1/2x MB890 Motherbeam	€ 3.570,00
----------	---	------------

WB-890	Single Cabinet wheel board	€ 398,40
WB-TA500H	Wheelboard for TA-500HM Aspect Wide Cabinets	€ 360,00
WB-890/4	3 or 4 tall wheel board	€ 1.183,20

FB-500T/2W	Touring Flybar, 2-wide	€ 1.890,00
FB-500T/3W	Touring Flybar, 2-wide	€ 2.472,00
FC-500T L	Flying chain long	€ 256,80
FC-500T ST	Flying chain standard	€ 256,80
ICL-500	Inter-cabinet link	€ 128,40
TS-890	Tilt strap	€ 75,60
CB-8003	2-leg chain bridle	€ 303,60

MONITORS: colour black



TFM-560	Bi-amped 2-way monitor, 2x12" neo LF, 1.4" neo HF, NL4 Designed exclusively for use with RACKDP-50 amplifiers 4 mixes with 3 amplifiers, up to 2 wedges per mix LF 1600W HF 150W pgm, Max SPL 135dB Peak, 53Hz-19kHz, 80°Hx50°V 397mmH x 700mmW x 561mmD, 31kg	€ 3.708,00
---------	--	------------



TFM-420	Bi-amped 2-way monitor, neo 12" LF, neo 1.5" HF, NL4 LF 600W HF 200W pgm, Max SPL 136dB Peak, 90Hz-16kHz, 40°Hx60°V 329mmH x 614mmW x 384mmD, 25.2kg	€ 3.399,00
---------	--	------------



TFM-450	Bi-amped 2-way monitor, Neo 15" LF, neo 1.5" HF, Speakon LF 800 W HF 200W pgm, Max SPL 136dB Peak, 60Hz-16kHz, 40°Hx60°V 401mmH x 711mmW x 475mmD, 32kg	€ 3.708,00
---------	---	------------



TMW-115	Passive/Biamp switchable 2-way monitor, 1x15" with Coax 1.4" 1100W pgm, Max SPL 131dB Peak, -10dB 50Hz-18kHz, 80°Hx60°V	€ 1.500,00
---------	--	------------

	NuQ-6	<i>Passive 2-way 6.5" LF, 1" HF, NL4 350mmH x 190mmW x 210mmD</i>	€ 780,00
	NuQ-8	<i>Passive 2-way 8" LF, 1" HF, NL4 Max SPL 124dB Peak, 60Hz-20kHz, 100°Hx60°V rotatable 464mmH x 272mmW x 220mmD, 9.5kg</i>	€ 1.026,00
	NuQ-8DP	<i>Digitally Self-Powered 2-way 8" LF, 1" HF, XLR, Powercon Max SPL 124dB Peak, 60Hz-20kHz, 100°Hx60°V rotatable 464mmH x 272mmW x 252mmD, 13kg</i>	€ 2.226,00
	NuQ-10	<i>Passive 2-way 10" LF, 1" HF, NL4 Max SPL 127dB Peak, 55Hz-20kHz, 100°Hx60°V rotatable 525mmH x 318mmW x 258mmD, 12kg</i>	€ 1.380,00
	NuQ-10DP	<i>Digitally Self-Powered 2-way 10" LF, 1" HF, XLR, Powercon Max SPL 127dB Peak, 55Hz-20kHz, 100°Hx60°V rotatable 525mmH x 318mmW x 281mmD, 15.5kg</i>	€ 2.580,00
	NuQ-12	<i>Passive/Active Switchable 2-way 12" LF, 1.4" HF, NL4 Max SPL 133dB Peak, 55Hz-20kHz, 80°Hx50°V rotatable 655mmH x 373mmW x 340mmD, 20kg</i>	€ 1.740,00
	NuQ-12DP	<i>Digitally Self-Powered 2-way 12" LF, 1.4" HF, XLR, Powercon Max SPL 133dB Peak, 55Hz-20kHz, 80°Hx50°V rotatable 655mmH x 373mmW x 340mmD, 23kg</i>	€ 3.360,00
	NuQ-15	<i>Passive/Active Switchable 2-way 15" LF, 1.4" HF, NL4 Max SPL 135dB Peak, 50Hz-20kHz, 80°Hx50°V rotatable 712mmH x 430mmW x 385mmD, 26kg</i>	€ 2.040,00
	NuQ-15DP	<i>Digitally Self-Powered 2-way 15" LF, 1.4" HF, XLR, Powercon Max SPL 135dB Peak, 50Hz-20kHz, 80°Hx50°V rotatable 712mmH x 430mmW x 385mmD, 29kg</i>	€ 3.600,00
	B-12DP	<i>Digitally Self-Powered 12" Subwoofer, 1x12", XLR, Powercon, NL4 Integrated 2 x 1250 watt amplifier drives subwoofer and NuQ satellites Max SPL 127dB Peak, 30Hz-125Hz 360mmH x 462mmW x 490mmD, 27kg</i>	€ 2.940,00
	B-15	<i>15" Subwoofer, 1x15", NL4 464mmH x 574mmW x 620mmD, 36.5kg</i>	€ 1.500,00
	B-15DP	<i>Digitally Self-Powered 15" Subwoofer, 1x15", XLR, Powercon Max SPL 132dB Peak, 45Hz-120Hz 464mmH x 574mmW x 620mmD, 39kg</i>	€ 3.120,00
	B-18	<i>18" Bandpass Subwoofer, 1x18", NL4 768mmH x 574mmW x 700mmD, 65kg</i>	€ 2.196,00
	B-18DP	<i>Digitally Self-Powered 18" Subwoofer, 1x18", XLR, Powercon Max SPL 136dB Peak, 40Hz-150Hz 768mmH x 574mmW x 700mmD, 67.5kg</i>	€ 3.816,00

NuQ-FY6	Flying yoke for NuQ-6	€ 56,40
NuQ-FY8	Flying Yoke for NuQ-8 and NuQ-8DP	€ 224,40
NuQ-FY10	Flying Yoke for NuQ-10 and NuQ-10DP	€ 237,60
NuQ-FY12	Flying Yoke for NuQ-12 and NuQ-12DP	€ 249,60
NuQ-FY15	Flying Yoke for NuQ-15 and NuQ-15DP	€ 289,20
FY-PH	Pole Holder adapter for Flying Yokes or Swivel Brackets	€ 67,20
NuQ-TB	T-Bar to attach two FY-NuQ8 yokes on one pole or clamp	€ 39,60
PA-60	60cm Speaker Pole	€ 33,60
PA-90	90cm Speaker Pole	€ 36,00
PA-100	100cm Speaker Pole	€ 37,20
PA-120	120cm Speaker Pole	€ 39,60
PA-20	Adjustable speaker pole for B-12DP with M20 thread	€ 79,99
SCLAMP	Scaffold Clamp adapter for Flying Yokes or Swivel Brackets	€ 48,00
NuQ-SB6	Swivel / U-Bracket for NuQ-6	€ 105,30
NuQ-SB8	Swivel / U-Bracket for NuQ-8 and NuQ-8DP	€ 86,40
NuQ-SBE8	Extension Bracket for NuQ-8 and NuQ-8DP	€ 39,60
NuQ-SB10	Swivel / U-Bracket for NuQ-10 and NuQ-10DP	€ 86,40
NuQ-SBE10	Extension Bracket for NuQ-10 and NuQ-10DP	€ 39,60
WB-20B	Wall Bracket for NuQ-8 and NuQ-10	€ 79,20
WB-55B	Wall Bracket for NuQ-12 and NuQ-15	€ 99,60
PB-55	Wall Bracket for pole holder mounting suitable for:	€ 93,60
EB-10/40	M10x40mm Eyebolt (sold singly)	€ 27,60
T4-Wheels	Optional wheel kit for B15/B18	€ 72,00

Electronics

RACK-DP50	4 x 1250w @ 2Ω or 2 x 2250w @ 4Ω with 96kHz DSP and TurboDrive	€ 3.240,00
DP50 Distro	4 mix distro for 3 x rack DP 50	€ 1.440,00
<hr/>		
T-25	2x1250W into 4 ohm switchmode power amplifier	€ 2.616,00
T-475	4x750W into 4 or 8 ohm switchmode power amplifier	€ 3.208,80
T-45	Turbosound 2x2250W into 4 ohm switchmode power amplifier	€ 3.600,00
T-90	Turbosound 2x4500W into 4 ohm switchmode power amplifier	€ 4.590,00
<hr/>		
LMS-D24	24 bit 96kHz, 2 input 4 output digital controller with BV-Net	€ 1.380,00
LMS-D26	24 bit 96kHz, 2 input 6 output digital controller with BV-Net	€ 1.740,00
<hr/>		
BV-Net-USB	BV-Net USB/RS-232 Converter, port powered in USB mode	€ 304,80
BV-Net-PSU	Power supply for BV-Net-USB, required for RS-232 operation	€ 184,80
BV-Net-Rack	Rack Kit for BV-Net-USB, 3 bays for converters and PSUs	€ 128,40